

1. Liu, D.; Wüthrich, K., Ring current shifts in (19)F-NMR of membrane proteins. *J Biomol NMR* **2016**, 65, (1), 1-5.
2. Hou, Y.; Hu, W.; Li, X.; Skinner, J. J.; Liu, D.; Wüthrich, K., Solvent-accessibility of discrete residue positions in the polypeptide hormone glucagon by (19)F-NMR observation of 4-fluorophenylalanine. *J Biomol NMR* **2017**, 68, (1), 1-6.
3. Song, G.; Yang, D.; Wang, Y.; de Graaf, C.; Zhou, Q.; Jiang, S.; Liu, K.; Cai, X.; Dai, A.; Lin, G.; Liu, D.; Wu, F.; Wu, Y.; Zhao, S.; Ye, L.; Han, G. W.; Lau, J.; Wu, B.; Hanson, M. A.; Liu, Z. J.; Wang, M. W.; Stevens, R. C., Human GLP-1 receptor transmembrane domain structure in complex with allosteric modulators. *Nature* **2017**, 546, (7657), 312-315.
4. Pu, M.; Xu, Z.; Peng, Y.; Hou, Y.; Liu, D.; Wang, Y.; Liu, H.; Song, G.; Liu, Z. J., Protein crystal quality oriented disulfide bond engineering. *Protein Cell* **2018**, 9, (7), 659-663.
5. Chen, S.; Lu, M.; Liu, D.; Yang, L.; Yi, C.; Ma, L.; Zhang, H.; Liu, Q.; Frimurer, T. M.; Wang, M. W.; Schwartz, T. W.; Stevens, R. C.; Wu, B.; Wüthrich, K.; Zhao, Q., Human substance P receptor binding mode of the antagonist drug aprepitant by NMR and crystallography. *Nat Commun* **2019**, 10, (1), 638.
6. Hu, W.; Wang, H.; Hou, Y.; Hao, Y.; Liu, D., Trimethylsilyl reporter groups for NMR studies of conformational changes in G protein-coupled receptors. *FEBS Lett* **2019**, 593, (10), 1113-1121.
7. Xue, D.; Xu, T.; Wang, H.; Wu, M.; Yuan, Y.; Wang, W.; Tan, Q.; Zhao, F.; Zhou, F.; Hu, T.; Jiang, Z.; Liu, Z. J.; Zhao, S.; Liu, D.; Wüthrich, K.; Tao, H., Disulfide-Containing Detergents (DCDs) for the Structural Biology of Membrane Proteins. *Chemistry* **2019**, 25, (50), 11635-11640.
8. Shi, P.; Zhang, Y.; Lv, P.; Fang, W.; Ling, S.; Guo, X.; Li, D.; Liu, S.; Sun, D.; Zhang, L.; Liu, D.; Zheng, J. S.; Tian, C., A genetically encoded small-size fluorescent pair reveals allosteric conformational changes of G proteins upon its interaction with GPCRs by fluorescence lifetime based FRET. *Chem Commun (Camb)* **2020**, 56, (51), 6941-6944.
9. Zhang, J.; Yan, W.; Duan, W.; Wüthrich, K.; Cheng, J., Tumor Immunotherapy Using A(2A) Adenosine Receptor Antagonists. *Pharmaceuticals (Basel)* **2020**, 13, (9).
10. Wang, H.; Hu, W.; Liu, D.; Wüthrich, K., Design and preparation of the class B G protein-coupled receptors GLP-1R and GCGR for (19) F-NMR studies in solution. *Febs j* **2021**, 288, (13), 4053-4063.
11. Wang, X.; Liu, D.; Shen, L.; Li, F.; Li, Y.; Yang, L.; Xu, T.; Tao, H.; Yao, D.; Wu, L.; Hirata, K.; Bohn, L. M.; Makriyannis, A.; Liu, X.; Hua, T.; Liu, Z. J.; Wang, J., A Genetically Encoded F-19 NMR Probe Reveals the Allosteric Modulation Mechanism of Cannabinoid Receptor 1. *J Am Chem Soc* **2021**, 143, (40), 16320-16325.

12. Ge, H.; Wang, H.; Pan, B.; Feng, D.; Guo, C.; Yang, L.; Liu, D.; Wüthrich, K., G Protein-coupled Receptor (GPCR) Reconstitution and Labeling for Solution Nuclear Magnetic Resonance (NMR) Studies of the Structural Basis of Transmembrane Signaling. *Molecules* **2022**, 27, (9).
13. Larionova, M. D.; Wu, L.; Ereemeeva, E. V.; Natashin, P. V.; Gulnov, D. V.; Nemtseva, E. V.; Liu, D.; Liu, Z. J.; Vysotski, E. S., Crystal structure of semisynthetic obelin-v. *Protein Sci* **2022**, 31, (2), 454-469.
14. Pan, B.; Liu, D.; Yang, L.; Wüthrich, K., GPCR large-amplitude dynamics by (19)F-NMR of a prepeptide bound to the neurokinin 1 receptor. *Proc Natl Acad Sci U S A* **2022**, 119, (15), e2122682119.
15. Yang, L.; Liu, D.; Wüthrich, K., GPCR structural characterization by NMR spectroscopy in solution. *Acta Biochim Biophys Sin (Shanghai)* **2022**, 54, (9), 1207-1212.
16. Zhang, J.; Luo, Z.; Duan, W.; Yang, K.; Ling, L.; Yan, W.; Liu, R.; Wüthrich, K.; Jiang, H.; Xie, C.; Cheng, J., Dual-acting antitumor agents targeting the A(2A) adenosine receptor and histone deacetylases: Design and synthesis of 4-(furan-2-yl)-1H-pyrazolo[3,4-d]pyrimidin-6-amine derivatives. *Eur J Med Chem* **2022**, 236, 114326.
17. Fan, Y.; Lin, X.; Pan, B.; Chen, B.; Liu, D.; Wüthrich, K.; Xu, F., Allosteric coupling between G-protein binding and extracellular ligand binding sites in GPR52 revealed by (19)F-NMR and cryo-electron microscopy. *MedComm (2020)* **2023**, 4, (2), e260.
18. Feng, D.; Feng, G.; Song, Y.; Wüthrich, K., Solvent accessibility of a GPCR transmembrane domain probed by in-membrane chemical modification (IMCM). *FEBS Lett* **2023**, 597, (11), 1541-1549.
19. Guo, C.; Yang, L.; Liu, Z.; Liu, D.; Wüthrich, K., Two-Dimensional NMR Spectroscopy of the G Protein-Coupled Receptor A(2A)AR in Lipid Nanodiscs. *Molecules* **2023**, 28, (14).
20. Sun, W.; Yang, F.; Zhang, H.; Yuan, Q.; Ling, S.; Wang, Y.; Lv, P.; Li, Z.; Luo, Y.; Liu, D.; Yin, W.; Shi, P.; Xu, H. E.; Tian, C., Structural insights into neurokinin 3 receptor activation by endogenous and analogue peptide agonists. *Cell Discov* **2023**, 9, (1), 66.
21. Wang, H.; Hu, W.; Xu, T.; Yuan, Y.; Liu, D.; Wüthrich, K., Selective polypeptide ligand binding to the extracellular surface of the transmembrane domains of the class B GPCRs GLP-1R and GCGR. *iScience* **2023**, 26, (6), 106918.
22. Zhang, J.; Feng, D.; Cheng, J.; Wüthrich, K., Adenosine A(2A) Receptor (A(2A)AR) Ligand Screening Using the (19)F-NMR Probe FPPA. *J Am Chem Soc* **2023**, 145, (28), 15061-15064.
23. Zhang, S.; Wang, F.; Zhang, D.; Liu, D.; Ding, W.; Springer, T. A.; Song, G., Structural insights into MIC2 recognition by MIC2-associated protein in *Toxoplasma gondii*. *Commun Biol* **2023**, 6, (1), 895.
24. Mendoza-Hoffmann, F.; Guo, C.; Song, Y.; Feng, D.; Yang, L.; Wüthrich, K., (19)F-NMR studies of the impact of different detergents and nanodiscs on the A(2A) adenosine receptor. *J Biomol NMR* **2024**, 78, (1), 31-37.
25. Ouyang, Q.; Zhao, F.; Ye, J.; Xu, M.; Pu, S.; Hui, W.; Gao, X.; Zha, X.; Chen, H.; Wang, Z.; Li, F.; Luo, Z.; Wüthrich, K.; Thompson, G. J., Rimota-Gd: Paramagnetic Probe for In Vivo MRI

Studies of the Cannabinoid 1 Receptor Distribution in the Mouse Brain. *ACS Chem Neurosci* **2024**, 15, (23), 4258-4266.

26. Pan, B.; Guo, C.; Liu, D.; Wüthrich, K., Fluorine-19 labeling of the tryptophan residues in the G protein-coupled receptor NK1R using the 5-fluoroindole precursor in *Pichia pastoris* expression. *J Biomol NMR* **2024**, 78, (3), 133-138.
27. Ge, H.; Yang, L.; Chen, C.; Xu, Y.; Liu, D.; Wüthrich, K., Human Substance P Interactions with G Protein-Coupled Receptor NK1R Observed by NMR in Solution. *J Am Chem Soc* **2025**, 147, (48), 44114-44122.
28. Guo, C.; Yang, L.; Liu, J.; Liu, D.; Wüthrich, K., Structural basis of adenosine 2A receptor-balanced signaling activation relies on allosterically mediated structural dynamics. *Cell Chem Biol* **2025**, 32, (9), 1140-1149.e3.